



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/587,289	07/25/2006	Steen Arnfred Nielsen	502424.117555	6951
29540	7590	07/25/2008	EXAMINER	
DAY PITNEY LLP 7 TIMES SQUARE NEW YORK, NY 10036-7311				KWOK, HELEN C
ART UNIT		PAPER NUMBER		
		2856		
MAIL DATE		DELIVERY MODE		
07/25/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/587,289	NIELSEN ET AL.	
	Examiner	Art Unit	
	Helen C. Kwok	2856	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 25 July 2006.

2a) This action is **FINAL**. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-26 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) 1-3, 15-18, 20-24 is/are allowed.

6) Claim(s) _____ is/are rejected.

7) Claim(s) 4-14, 19, 25 and 26 is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:

- Certified copies of the priority documents have been received.
- Certified copies of the priority documents have been received in Application No. _____.
- Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 7/25/06.

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ .

5) Notice of Informal Patent Application

6) Other: _____.

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

2. The drawings are objected. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

In Figures 6a and 6b, the block elements should be labeled with its description within the block elements.

Specification

3. The abstract of the disclosure is objected to because it should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. Correction is required. See MPEP § 608.01(b).
4. The disclosure is objected to because of the following informalities. Appropriate correction is required.

The specification lacks the appropriate headings for a disclosure. See, MPEP 608.01(a).

Claim Objections

5. Claims 4-14, 19 and 25-26 are objected to because of the following informalities. Appropriate correction is required.

In claim 4, line 3, the phrase “the rail web” should be changed to – a rail web – to provide proper antecedent basis.

In claim 5, line 2, the phrase “the longitudinal direction” should be changed to – a longitudinal direction --.

In claim 7, line 5, the phrase “the web-head fillet radius” should be changed to – a web-head fillet radius --. In line 5, the phrase “the rail head” should be changed to -- a rail head --. In line 6, the phrase "the head" should be changed to -- a head --/

In claim 8, line 2, the phrase “the railway track” should be changed to – a railway track --. In line 3, the phrase “the longitudinal axis” should be changed to – a longitudinal axis --.

In claim 9, line 3, the phrase “the rail web” should be changed to – a rail web --.

In claim 10, lines 4-5, the phrase “the rail head” should be changed to – a rail head --.

In claim 11, line 2, the phrase “the excitation spot” should be changed to – an excitation spot --.

In claim 13, liens 2-3, the phrase “the longitudinal direction” should be changed to – a longitudinal direction --.

In claim 14, line 2, the phrase “the detection laser” should be changed to – the detection laser beam -- to provide proper antecedent basis.

In claim 19, line 2, the phrase “the incident angle” should be changed to – an incident angle --.

In claim 25, lines 1-3, the preamble is not clearly worded. Please clarify.

In claim 26, lines 1-4, the preamble is not clearly worded. Please clarify.

Allowable Subject Matter

6. Claims 1-26 are allowable over the prior art of record.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The references cited are related to detecting defects in a rails.

8. This application is in condition for allowance except for the following formal matters as set forth above.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Helen C. Kwok whose telephone number is (571) 272-2197. The examiner can normally be reached on 8:30 to 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron E. Williams can be reached on (571) 272-2208. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Helen C. Kwok/
Primary Examiner, Art Unit 2856
July 20, 2008